# SQ20TCC

COMBI OVEN 20 TRAYS - GN 1/1
5" CAPACITIVE TOUCH CONTROL
SELF CLEANING INTEGRATED

**VENIX SRL** Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it

| | |
|---|---|
| **FUNCTIONAL CHARACTERISTICS** | |
| Display | 5" CAPACITIVE TOUCH |
| Supply | ELECTRIC |
| Timer | - |
| Number of motors | 4 |
| Motor speeds | 2 |
| Max cooking temperature (°C) | 260°C |
| Core probe | Single point PT1000 |
| Cooking chamber material | AISI304 |
| Opening door | Right handle |
| Chimney | 50 mm motorized |
| Humidification | Direct injection |
| Air injection | - |
| Self-washing | Automatic |
| **STANDARDS** | |
| Certification | CE |
| **TRAYS** | |
| Trays rack | Trolley PA 20/66 |
| Max tray load | 4 Kg |
| **DIMENSIONS** | |
| Oven size with handle WxDxH (mm) | 1051x1002x1900 |
| Oven size without handle WxDxH (mm) | 1051x938x1900 |
| Chamber size WxDxH (mm) | 700x481x1496 |
| Unit weight (Kg) | 250 |
| **PACKAGING** | |
| Packaging | PALLET + CARTON BOX |
| Packaging size WxDxH (mm) | 1150 X 1100 X 2050 |
| Unit weight with packaging (Kg) | 273 |
| Crate packaging size (optional) | 1100 x 1150 x 2090 |
| Unit weight with crate (Kg) | 331 |

**VENIX SRL** Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it

## ELECTRICAL DATA

| | |
|---|---|
| **HEATERS 6,75kW 50Hz - Single power supply** | |
| Power | 28,1kW |
| Frequency | 50Hz |
| Power supply (standard) | 380 - 415V 3N~ |
| Amperage (standard) | 43,9A |
| Power cord req. (standard) | 5G10 |
| **HEATERS 6,75kW 50Hz - Double power supply** | |
| Power | 28,1kW |
| Frequency | 50Hz |
| Power supply (optional) | 380 - 415V 3N~/220 - 240V 3~ |
| Amperage (optional) | 43,9A/71,9A |
| Power cord req. (optional) | 5G10/4G25 |
| **HEATERS 6,75kW 60Hz - Single power supply** | |
| Power | 28,7kW |
| Frequency | 60Hz |
| Power supply (standard) | 380 - 415V 3N~ |
| Amperage (standard) | 46,5A |
| Power cord req. (standard) | 5G10 |
| **HEATERS 6,75kW 60Hz - Double power supply** | |
| Power | 28,7kW |
| Frequency | 60Hz |
| Power supply (optional) | 380 - 415V 3N~ /220 - 240V 3~ |
| Amperage (optional) | 46,5A/74,1A |
| Power cord req. (optional) | 5G10/4G25 |
| **HEATERS 5kW 50Hz** | |
| Power | 25,7kW |
| Frequency | 50Hz |
| Power supply | 440V 3~ |
| Amperage | 36,7A |
| Power cord req. | 4G10 |

**VENIX SRL** Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it

| | |
|---|---|
| **HEATERS 5kW 60Hz** | |
| Power | 26,2kW |
| Frequency | 60Hz |
| Power supply | 440V 3~ |
| Amperage | 39,3A |
| Power cord req. | 4GX10 |
| **WATER CONNECTION REQUIREMENTS** | |
| Humidification Water Inlet | 3/4" GAS |
| Washing Water Inlet | 10 mm quick fitting |
| Water drain | 2x30mm |
| Max water hardness | 5°f |
| Water pressure requirement min-max | 150-200 kPa |
| **CONSUMPTION** | |
| Humidification Water (L/h) | 16,7l/h max consumption |
| Rinse Water @2barG | 35,5l |
| Short Washing Water @2barG | 66,6l |
| Long Washing Water @2barG | 139l |
| Short Washing Detergent * | 468,8g |
| Long Washing Detergent * | 669,7g |
| **CONNECTIVITY** | |
| USB | 2.0 |
| Bluetooth | - |
| Wi-Fi | - |
| Cloud | - |
| **ACCESSORIES** | |
| Self clean system kit | - |
| Oven stand | - |
| Hood (Air) | - |
| Hood (Water) | POSLMWF1<br>POSLMWF2 |
| Core Probe | - |
| Proofer | - |
| Stacking kit for 2 ovens | - |
| Smoker | SMK02 |
| Blast Chiller | - |

**VENIX SRL** Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it

| | |
|---|---|
| Blast chiller stacking kit | - |
| Water softner cover | WS10 |
| Water softner 6800L | WS11 |
| Water softner 12000L | WS12 |
| Water pressure adapter | WPA |
| Water shower kit | S1 |
| Detergent 6KG | DT2 |
| Detergent10KG | DT4 |

**VENIX SRL** Via della Fornace, 49 - 31023 Castelminio di Resana (TV) - ITALY
P +39 (0) 423 420 477 / +39 (0) 423 723 608 - F +39 (0) 423 492 307
email: info@venix.it
www.venix.it